



Iron Body Red Fox B&G Circulator Pump

A residential or light commercial, maintenance-free, in-line lead-free cast iron wet rotor circulator for potable water systems & other applications.



Part #	Description	Price
08018010	1/25 HP NRF-22 IB Pump Less Flange	219.90
08027501	3/4 IB Pump Flange	17.78
08027519	1 IB Pump Flange	16.70

Bronze B&G Circulator Pumps

A residential or light commercial, three-piece, oil lubricated rebuildable bronze body circulator for potable water systems & other applications.




Part #	Description	Price
08020703	1/12 100-BNFI Brz HP Pump Less Flange	809.90
08020984	1/6 HV BNFI Brz HP Pump Less Flange	1439.90

Bronze Fox B&G Circulator Pumps

A residential or light commercial, maintenance-free, in-line lead-free bronze wet rotor circulator for potable water systems & other applications.



Part #	Description	Price
08010805	1/40HP NBF-12F/LW Brz Pump Less Flange	379.90
08018061	1/25HP SSF-22 Brz Pump Less Flange	379.90
08027553	3/4 Brz Pump Flange	36.98
08027560	1 Brz Pump Flange	36.98



**Conveniently Located
 In The Heart of America**

Emporia, Grandview, Independence,
 Junction City, KCMO-Downtown,
 KCMO-Midtown, KCMO-Waldo, Lawrence,
 Leavenworth, Lee's Summit, Lenexa, Liberty,
 Manhattan, Maryville, Olathe, Riverside,
 St. Joseph, Topeka

HEATING- Heating Accessories
Page X-2 - RW List Prices

Grundfos Hot Water Recirculator
Kit Includes: 1 pump & 1 valve

Pump Technical Data:

- Flow Range: 0 TO 3.4 U.S. GPM
- Head Range: 0 TO 3.5 U.S. Feet
- Motor: Single Phase, 115V
- Min. Fluid Temperature: 360 F (20C)
- Max. Fluid Temperature: 1500F (660C)
- Max. Working Pressure: 145 PSI

Electrical Data: 1X115V

- P1 (W): 25
- (A): 0.23

Valve Technical Data: Patented technology Integral check valve

Electrical Connection

- The pump is fitted with 10 foot cord and 115V plug.
- Timer: 24hr, 3 position, 15 minute intervals.



GRUNDFOS
Leaders in Pump Technology

Part #	Description	Price
27005000	UP15-10SU7P/TLC Grundfos Comfort System	489.90
27005015	595926 Grundfos Tee	93.38
27005010	599390 Grundfos 1/2 Connector	20.78

B&G Bearing Assemblies



Part #	Description	Price
39411392	118844 Bearing Assembly	177.30
39412010	189034 Bearing Assembly	177.30
39412015	189165 Bearing Assembly	389.90
39412184	189105 Bearing Assembly	439.90

B&G Couplers



Part #	Description	Price
39412226	189110 Stamped Steel Coupler	29.98
39412228	118705 Cast Iron Coupler	36.70
39410782	118473 Coupler	89.90

B&G Motor Mounts



Part #	Description	Price
39412285	118223 Motor Mounts (5 Diam Motor)	49.90
39412290	118228 Motor Mounts (6 Diam Motor)	69.90

B&G Seal Kits




Part #	Description	Price
39412310	118681 Seal Kits	69.90




HEATING- Heating Accessories
RW List Prices - Page X-3

B&G Body Gaskets




Part #	Description	Price
39412330	P04080 Body Gasket	6.50
39412335	P57410 Body Gasket	6.70
39412325	P04890 Body Gasket	4.90

B&G Impellers



Part #	Description	Price
39412275	189132 Impeller	39.90
39412278	118431 Impeller	99.90
39412281	189128 Impeller	159.90


B&G Flange Gasket Sets



Part #	Description	Price
39412345	118368 Flange Gasket Sets	14.38
39412350	118373 Flange Gasket Sets	14.38

B&G Pressure Reducing Valves

- Adjustable Range 10-25 PSIG
- Set @ 12 PSIG



Part #	Description	Price
08023004	1/2 B-38 Brz Pressure Reducing Valve	89.90
08023130	3/4 B7-12 Pressure Reducing Valve	139.90

B&G ASME Safety Relief Valves


- Set @ 30 PSIG



Part #	Description	Price
08000057	3/4 790-30 30 Relief Valve	139.90

B&G Dual Unit Valves

- Reducing Valve Set @ 12 PSIG
- Relief Valve Set @ 30 PSIG



Part #	Description	Price
08023202	1/2 8 IB Dual Unit	159.90



HEATING- Heating Accessories
Page X-4 - RW List Prices

B&G Automatic Air Vents




Part #	Description	Price
08026895	400 Auto Air Vent	18.30
08026866	67 Auto Air Vent	59.90
08026890	7 Auto Air Vent	99.90
08052551	78 Air Vent	229.90

Watts Radiator Valves

Part #	Description	Price
08002850	1/2 HWA 0067620 Hot Water Radiator Valve	59.90
08002855	3/4 HWA 0067621 Hot Water Radiator Valve	59.90

Hoffman Steam Vents




Part #	Description	Price
08050049	1/8 40 Steam Radiator Vent	39.90
08050304	3/4x1/2 75 Steam Main Vent	139.90

Watts Radiator Union Elbow




Part #	Description	Price
08002875	1/2 UL-1 0067460 Union Radiator Elbow	29.90
08002880	3/4 UL-1 0067461 Union Radiator Elbow	39.90

Angle Thermostatic Steam Trap




Part #	Description	Price
08050726	1/2 17C Angle Thermostatic Steam Trap	99.90



Since 1887
Over 100 Years of Service

Reeves-Wiedeman Company

PLUMBING SUPPLIES FOR CONTRACTORS AND INDUSTRY

HEATING- Heating Accessories RW List Prices - Page X-5

Vacuum Breaker

- For use on closed vessels and piping systems to control induced vacuum within safe limits
- Adjustable from 1/4" - 20" (8-508mm) Hg vacuum - factory set at 2" (51mm) Hg vacuum
- 3/4" NPT straight shank
- Maximum operating temperature 366°F (186°C)
- Maximum operating pressure 150 psig (10.3 bar)



Hoffman
SPECIALTY

Part #	Description	Price
08052525	62 Vacuum Breaker	119.90

Hoffman Water Vents

- Water Main Vent Valve
- For use on hot or cold water mains & process applications
- Tapped at top for 1/8" (4mm) NPT safety drain connection for discharging moisture
- Removable top
- Built-in check valve
- 1/2" (15mm) NPT female & 3/4" (20mm) NPT male straight shank
- Max. operating pressure 75 psig (5.2 bar)
- Max. hydrostatic pressure 200 psig (13.8 bar)
- Max. temp 250°F (121°C)



Hoffman
SPECIALTY

Part #	Description	Price
08050429	3/4 x 1/2 79 Water Vent	139.90

McDonnell & Miller Flow Switches

- 1-inch NPTM brass pipe connection
- 1", 2", 3" and 6" Stainless steel paddles standard
- Section IV boiler ratings of 250° F and 160 psig
- No lead construction
- Housing materials: stamped sheet steel base with glass reinforced polycarbonate cover



McDonnell & Miller
1883 Lafayette Corporate

Part #	Description	Price
08001695	FS251 1 McDonald Miller Flow Switch	219.90

Temperature/Pressure Test Plug



WATTS®

Part #	Description	Price
18185000	1/4 TPN 0008512 MIP Brass Petes Plug	25.90
18186000	1/2 TPN 0008513 MIP Brass Petes Plug	32.78

Lubricating Oil



Part #	Description	Price
39412424	L23401 1.5Oz Oil Tube	13.30

Reeves-Wiedeman Company

Emporia, Ks	Grandview, Mo	Independence, Mo	KCMO-Downtown	KCMO-Midtown	KCMO-Waldo	Lawrence, Ks	Junction City, Ks	Leavenworth, Ks
Liberty, Mo	Lees Summit, Mo	Lenexa, Ks	Manhattan, Ks	Maryville, Mo	Olathe, Ks	Riverside, Mo	Saint Joseph, Mo	Topeka, Ks

Shaded Items are Non-Stock





Since 1887
Over 100 Years of Service

GAUGES- Pressure Gauges & Thermometers
Page X-6 - RW List Prices

360-300PK1 Water Pressure Test Gauge

- 3/4In brass female hose swivel connection
- Use for residential or commercial tests
- Drag pointer indicator for overnight tests




Sioux Chief 

Part #	Description	Price
08009664	360-300PK1 Water Pressure Test Gauge	27.10

General Service Pressure Gauges

- 1/4" MIP brass lower connection
- Use with air, water, oil and gas
- Class 2.5 - 2% accuracy
- Shatterproof face
- Steel case





Jones Stephens Corp.
PlumBest

Part #	Description	Price
18100002	G60-015 2in Dial 15Lb Pressure Gauge	18.78
18100003	G60-030 2in Dial 30Lb Pressure Gauge	18.78
18100004	G60-060 2in Dial 60Lb Pressure Gauge	18.78
18100005	G60-100 2in Dial 100Lb Pressure Gauge	18.78
18100006	G60-160 2in Dial 160Lb Pressure Gauge	18.78
18100007	G60-200 2in Dial 200Lb Pressure Gauge	18.78

Pigtail Siphons

- For use with gauges on steam line
- Steel
- 1/4" MPT x 1/4" MPT

Jones Stephens Corp.
PlumBest



Part #	Description	Price
16403248	G60-000 Straight Steel Pigtail Siphon	11.30
16403245	G60-001 90° Angle Steel Pigtail Siphon	12.98

Part #	Description	Price
18100008	G61-015 2-1/2in Dial 15Lb Pressure Gauge	20.30
18100024	G61-030 2-1/2in Dial 30Lb Pressure Gauge	20.30
18100040	G61-060 2-1/2in Dial 60Lb Pressure Gauge	20.30
18100065	G61-100 2-1/2in Dial 100Lb Pressure Gauge	20.30
18100072	G61-160 2-1/2in Dial 160Lb Pressure Gauge	20.30
18100081	G61-200 2-1/2in Dial 200Lb Pressure Gauge	20.30
18100082	G61-300 2-1/2in Dial 300Lb Pressure Gauge	20.30

Part #	Description	Price
18100123	G62-030 3-1/2in Dial 30Lb Pressure Gauge	33.98
18100149	G62-060 3-1/2in Dial 60Lb Pressure Gauge	33.98
18100164	G62-100 3-1/2in Dial 100Lb Pressure Gauge	33.98
18100180	G62-200 3-1/2in Dial 200Lb Pressure Gauge	33.98
18100206	G62-300 3-1/2in Dial 300 Lb Pressure Gauge	33.98

Thermometers for Hot Water or Refrigerant Lines

- Straight or angle pattern
- Steel or brass well
- 40°F - 260°F x 5°F (5°C-120°C x 2°C)
- 1/2" NPT





Jones Stephens Corp.
PlumBest

Part #	Description	Price
16403180	J40-500 Straight Thermometer	35.10
16403206	J40-502 Angle Thermometer	39.70

Vacuum Gauge

- 1/4 " brass lower connection
- 30 to 0 inches Hg
- Black steel case with bronze internals



Jones Stephens Corp.
PlumBest

Part #	Description	Price
18100001	G63-001 2in Dial 30Lb Vacuum Gauge	24.70



Since 1887
Over 100 Years of Service

GAUGES- Pressure Gauges & Thermometers
RW List Prices - Page X-7

Tridicator Heating System Gauges

- 0-55 psi
- 70° F to 250° F temperature range



Jones Stephens Corp.
PlumBest

Part #	Description	Price
18100388	J40-560 3-1/2in Face Ang 2-3/4in stem (1/2NPT)	57.18

Dial Thermometer

- 2-1/2" face
- 5° increments
- Dual Scale: 40°-240° F/0°- 120° C
- Brass wells/removable thermometers
- Thermometers are supplied with wells



Jones Stephens Corp.
PlumBest



Part #	Description	Price
18100500	J40-703 Dial Thermoneter w/1/2in MIP connect	23.10

Multi-Angle Torpedo Thermometer

- No well provided; order wells separately
- 9" scale, red-reading mercury tubes
- Molded cyclolac case with glass window
- Adjustable to any angle
- Accurate to +/- one scale division
- Hot water 30°F -240°F
- 3 1/2" stem
- 1" NPSM



Jones Stephens Corp.
PlumBest

J40-505 J40-510

Part #	Description	Price
18100520	J40-505 9in Multi-Angle Torpedo Thermometer	99.70
18100550	J40-510 Standard Brass Well with 2-1/2 Stem	38.30

Gas Test Gauge Assembly

- Unbreakable plastic face
- Steel case
- All parts precision made & assembled
- Adapts to 3/4" MPT



PASCO

Part #	Description	Price
89181415	1427 30# Gas Pressure Gauge	19.58
89181420	1420 60# Gas Pressure Gauge	19.58
89181425	1421 100# Gas Pressure Gauge	19.58

Separate Gauge Components

PASCO



Part #	Description	Price
17050113	1/8 1406 Air Valve	3.90

CONTROLS- Thermostats and Controls
Page X-8 - RW List Prices

TC-1 Automatic Timer Kit

- Increase the overall efficiency of a hot water recirculation system
- Turns the circulator on & off at preset times
- For any NBF circulator



Part #	Description	Price
08018090	TC-1 Automatic Timer Kit	114.10

AQS Aquastat Control

- Thermostatically turns on or off any NBF circulator
- Turns On at 100°F and OFF at 120°F



Part #	Midscale Differential	Price
08018095	1/2 AQS-1/2 Aquastat Control	66.30
08018098	3/4 AQS-3/4 Aquastat Control	46.90

6006 Aquastats

6006A Series

- Horizontal mount.
- SPDT switching.
- Adj. setpoint 100-240°.
- Element length suitable for 1-1/2" or 3" insulation immersion well.



Honeywell

6006C Series

- Vertical or Horizontal Strap-on.
- SPDT switching.
- For surface sensing applications.
- R-B opens on temp rise.
- R-W makes on temp rise.
- Fixed 10°F Differential.
- Setpoint range 65-200°F.

Part #	Midscale Differential	Price
18601246	L6006C 1018 5-30°F Adj.	149.90
18601187	L6006A 1145 5-30°F Adj.	159.90

121371 IPS Well

Honeywell



Part #	Description	Price
18607374	1/2 NPT 121371A IPS Well	35.18
18607382	3/4 NPT 121371B IPS Well	39.98

Thermocouples

- Universal replacement gas pilot light controls
- Use in furnaces, boilers & space heaters
- Also for use in water heaters
- Includes adapter fittings
- Copper



WHITE-RODGERS


Part #	Description	Price
59201800	18In 1151 Thermocouple	12.78
59201810	24In 1152 Thermocouple	11.90
59201820	36In 1153 Thermocouple	13.90
59201830	36In 1154 Thermocouple	14.30



Since 1887
Over 100 Years of Service

Fan Limit		
		
Honeywell		
Part #	Description	Price
18601062	L4064B1469 Honeywell Fan Limit	129.90

Copper Grounding Clamp		
<ul style="list-style-type: none"> Gampak Products Fits 1/2" to 1" 		
Part #	Description	Price
59201840	1/2 - 1 Copper Grounding Clamp	4.98


Romex Connector Clamp		
<ul style="list-style-type: none"> Madison Equipment Co Romex clamp connector Die-cast Zamak 		
Part #	Description	Price
59201850	3/4 L104A Romex Connector Clamp	1.78



PIPEINS- Imcoa Pipe Insulation
Page X-10 - RW List Prices

3/8" Wall Blk Pipe Insulation


- Pre-Slit & Pre-Glued with Pressure Sensitive Release Tape
- Works in Temperature ranges -330°F to +210°F
- Vapor Transmission Rate of 0.00 Perm-In.



Part #	Description	Price
08910192	3/8ID x 3/8 Wall Blk Pipe Insulation	1.30
08910200	1/2ID x 3/8 Wall Blk Pipe Insulation	1.50
08910218	5/8ID x 3/8 Wall Blk Pipe Insulation	1.58
08910234	3/4ID x 3/8 Wall Blk Pipe Insulation	1.58
08910259	7/8ID x 3/8 Wall Blk Pipe Insulation	1.70
08910275	1-1/8ID x 3/8 Wall Blk Pipe Insulation	1.78
08910291	1-3/8ID x 3/8 Wall Blk Pipe Insulation	2.18
08910317	1-5/8ID x 3/8 Wall Blk Pipe Insulation	2.90
08910333	2-1/8ID x 3/8 Wall Blk Pipe Insulation	2.70
08910338	2-3/8ID x 3/8 Wall Blk Pipe Insulation	3.50
08910341	2-5/8ID x 3/8 Wall Blk Pipe Insulation	3.50

1/2" Wall Blk Pipe Insulation


- Pre-Slit & Pre-Glued with Pressure Sensitive Release Tape
- Works in Temperature ranges -330°F to +210°F
- Vapor Transmission Rate of 0.00 Perm-In.



Part #	Description	Price
08910408	3/8ID x 1/2 Wall Blk Pipe Insulation	1.70
08910424	1/2ID x 1/2 Wall Blk Pipe Insulation	1.78
08910440	5/8ID x 1/2 Wall Blk Pipe Insulation	2.10
08910481	7/8ID x 1/2 Wall Blk Pipe Insulation	2.30
08910486	1-1/8ID x 1/2 Wall Blk Pipe Insulation	2.58
08910489	1-3/8ID x 1/2 Wall Blk Pipe Insulation	2.70
08910499	1-5/8ID x 1/2 Wall Blk Pipe Insulation	2.70
08910507	2-1/8ID x 1/2 Wall Blk Pipe Insulation	4.30
08910796	2-5/8ID x 1/2 Wall Blk Pipe Insulation	5.38
08910804	3-1/8ID x 1/2 Wall Blk Pipe Insulation	6.30
08910350	3-5/8ID x 1/2 Wall Blk Pipe Insulation	6.98
08910812	4-1/8ID x 1/2 Wall Blk Pipe Insulation	6.70

1/2" Wall Wht Pipe Insulation

- Pre-Slit & Pre-Glued with Pressure Sensitive Release Tape
- Works in Temperature ranges -330°F to +210°F
- Vapor Transmission Rate of 0.00 Perm-In.



Part #	Description	Price
08910500	1-5/8ID x 1/2 Wall Wht Pipe Insulation	3.50

Rubatex Insulation Adhesive

- R-320 & R-620 Contact Adhesives may be used for bonding elastomeric and polyolefin products to a variety of materials (i.e., other elastomers, metal, wood, leather, felt, concrete, etc.).
- The adhesives will make resilient and heat-resistant bonds.
- They are suitable for line temperatures up to 220°F (104°C) on applications requiring bonded seams and joints.
- When the adhesives are applied to large flat or curve surfaces, they are suitable for temperatures up to 200°F (93°C).



Part #	Description	Price
08910000	R-320 Pint Rubatex Insulation Adhesive	19.30



CONDPUMP- Condensate Pumps
RW List Prices - Page X-11

VCM-15UL Medium Tank Condensate Pump

VCM units include check valve built into the 3/8" O.D. barbed discharge. Pumps have a stainless steel shaft, high-impact polystyrene tank, ABS plastic motor & tank cover, thermal overload protection, and a 6' power cord.

- 115 Volts, 1 Amp, 60 Watts
- GPH: 1'=65; 5'=50; 9'=30: Shut off at 15'
- 6.5 PSI



Little **GIANT**
 Pump Company

Part #	Description	Price
27080100	554401 VCMA-15UL Condensate Pump	89.90

VCL-45S Automatic Condensate Pump

Model 45 has an ABS plastic switch housing, galvanized steel flush mounted cover, and black plastic tank. Each unit includes safety switch, 3' power cord without plug, copper tube discharge (3/8" OD).

- 115 Volts; 3.5 Amp; 185 Watts
- GPH: 1'=450; 5'=440; 10'=415; 15'=380; 20'=330
- Shut Off at 45'
- 19.5 PSI



Little **GIANT**
 Pump Company

Part #	Description	Price
27080170	553240 VCL-45ULS Condensate Pump	419.90

VCL-14ULS Automatic Condensate Pumps Large Tank

Each VCL unit features a vertical-type pump with stainless steel shaft: black plastic tank: galvanized flush mounted coated steel tank cover; thermal overload protection; and a 3/8" OD discharge. Unit includes safety switch, 6' power cord with 3-prong plug and barbed discharge for 3/8" ID tubing.

- 115 Volts; 1 Amp; 78 Watts
- GPH: 1'=200; 5'=170; 10'=125; Shutoff at 14'
- 6.1 PSI



Little **GIANT**
 Pump Company

Part #	Description	Price
27080090	553101 VCL-14ULS Condensate Pump	199.90



Since 1887
Over 100 Years of Service

WARMAIR- Warm Air Vent Pipe & Fittings
Page X-12 - RW List Prices

**Warm Air Pipe
Galvanized - 30 Gauge**



Part #	Description	Price
08830002	3 x 2 30Ga Gal Warm Air Pipe	8.30
08830036	4 x 2 30Ga Gal Warm Air Pipe	8.98
08830085	5 x 2 30Ga Gal Warm Air Pipe	9.78
08830143	6 x 2 30Ga Gal Warm Air Pipe	10.78
Part #	Description	Price
08830051	4 x 5 30Ga Gal Warm Air Pipe	16.90

**Adjustable Warm Air 90° Ell
Galvanized - 30 Gauge**



Part #	Description	Price
08832453	3 30Ga Gal Adjustable Warm Air 90 Ell	8.30
08832487	4 30Ga Gal Adjustable Warm Air 90 Ell	7.78
08832511	5 30Ga Gal Adjustable Warm Air 90 Ell	8.10
08832545	6 30Ga Gal Adjustable Warm Air 90 Ell	8.30

**Warm Air In increaser Reducer
Galvanized**



Part #	Description	Price
08833485	4 x 3 Gal Warm Air In creaser Reducer	15.50

Warm Air Tees-Galvanized



Part #	Description	Price
08831020	3 30Ga Gal Warm Air Tee	19.18
08831025	4 30Ga Gal Warm Air Tee	20.58

Warm Air Wyes-Galvanized



Part #	Description	Price
08831030	4x3x3 30Ga Gal Warm Air Wye	33.70

Aluminum Dryer Vent Pipe



Jones Stephens Corp.
PlumBest

Part #	Description	Price
08801102	4 D04-012 Aluminum Dryer Vent	12.18

Dryer Vent Hose



Jones Stephens Corp.
PlumBest

Part #	Description	Price
08801150	4" x 8' D04-059 Dryer Vent Hose	23.98